This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.



THE UNITED STATES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME:

Pioneer Ki-Bred International, Inc.

Whereas, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE DEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF eighteen years from the date of this grant, subject to the payment of the required fees and periodic replenishment of viable basic seed of the variety in a public repository as provided by LAW, the right to exclude others from selling the variety, or offering it for sale, or reproducing it, or importing it, or exporting it, or using it in producing a hybrid or different riety therefrom, to the extent provided by the Plant Variety Protection Act tat. 1542, as amended, 7 u.s.c. 2321 et seq.)

CORN

'PHAAO'

In Testimony Menereot, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington, D.C. this 31st day of August in the year of our Lord one thousand nine hundred and ninety-four.

Allosk:

Kennet DA Evan Commissioner

Commissioner Plant Variety Protection Offics Agricultural Marketing Service

Gustavo Garcia App. No. 10/769,207 REF A6 Public reporting burden for this collection of information is estimated to average 30 minutes per response, including the time for reviewing instructions, searching data volumes, gastering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other issuest of this collection of information, including suggestions for reducing this burden, to Department of Agriculture, Clearance Office, DIRM, Room 604-W, Walnington 2 C 2750, and 10 min to the Office of Management and Budget, Paparwork Reduction Project (DMB 60581-0053), Walnington, 20250.

FORM APPROVED: OMB 6581-0053: Ecolors 3.3-91

N. 5

| | | | | | 341 0033 SEGRENT 11 A1 |
|--|---------------------------------------|------------------|---|-------------|---|
| U.S. DEPARTMEN AGRICULTURAL N | IT OF AGRICULTURE MARKETING SERVICE | | | And | Hicalian is required in order |
| ADDITION FOR BLANT WAS | | | | | ituine Tatt |
| APPLICATION FOR PLANT VAR | | MOIT. | CERTIFICATE | 110 | ilmania is ili se sulleur 1 il 2 2 2 212. Imanian 3 filia il ili ilei ilei ini |
| 1 NAME OF APPLICANTIS) (as it is to appear on the Certificate) | s on reverse) | | | Carl | HCale 18 -550-04 (7 J 3 C 1425) |
| | | I | Z TEMPORARY DESIGNATION OR EXPERIMENTAL NO. | 3 | ARIETY HAME |
| PIONEER HI-BRED INTERNATIONAL, IN | NC. | | | 1 | |
| 4 ADDRESS (street ending, or R.F.D. na., city, state, and ZIP) | | | | | PHAAO |
| Research and Product Development | Division | ı | 5 PHONE (Include area code) | | FOR OFFICIAL, JSE ONLY |
| P. O. Box 85 | | 1 | 515/270-3300 | PVPC | NUMBER |
| Johnston, IA 50131-0085 | | - 1 | 320,270 3300 | | |
| | • • • | j | | L | 9400091 |
| | | i | | 1 | Date |
| 6 GENUS AND SPECIES NAME | | | | | Feb. 07, 1994 |
| | 7 FAMILY NAME | | ., | 1 | Time |
| Zea Mays | Gramin | eae | | 2 | 11:03 12:4 17:4 |
| 8 CROP KIND NAME (Common Name) | | 9. 04 | TE OF DETERMINATION | — | Filing and Examination Fee |
| | | | | E | 12.325 = |
| Corn | | <u> </u> | February 4, 1991 | s | Oate |
| 10. IF THE APPLICANT NAMED IS NOT A "PERSON," GIVE FORM OF O | RGANIZATION (Corpored | en pertne | rship, association, arc.) | 1 4 | Feb. 3. 1994 |
| Corporation | | | | ٤ | Certificate Fre |
| 11 IF INCORPORATED, GIVE STATE OF INCORPORATION | · · · · · · · · · · · · · · · · · · · | 12 041 | OF INCORPORATION | Ĭ | : 275 00 |
| , | | 12. 041 | CO INCORPORATION | l 🐫 | 034 |
| <u> Iowa</u> | Ţ | May | 7 6, 1926 | E . | Aug. 1, 1994 |
| 13. NAME AND ADDRESS OF APPLICANT REPRESENTATIVE(S), IF AM | Y, TO SERVE IN THIS APP | UCATION | AND RECEIVE ALL PAPERS | | 1.144. 1, 1717 |
| Dr. Bruce D. McBratney | | | | | \mathcal{G} |
| Research and Product Development | | * | | | |
| Pioneer Hi-Bred International, In | | | | | |
| P.O. Box 85, Johnston, IA 50131- | | | PHONE (Include area cod | 515 | /270-3546 |
| 14 CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBMITTED | Follow MSTRUCTIONS of | 0 (Pre/14) | (MC/USS Area cod | <u> </u> | |
| a. X: Exhibit A, Origin and Breeding History of the Variety. | | | | | |
| b. X Exhibit B. Novelly Statement. | | | | | |
| c. X. Exhibit C, Objective Description of Variety. | | | | | |
| d. X Exhibit D. Additional Description of Variety. | | | | | |
| e. 😠 Exhibit E. Statement of the Beas of Applicant's Own | eretus. | | | | |
| I Seed Sample (2,500 viable untrested seeds). Date 3 | | Mane Man | 1-31 | -94 | |
| g. X Filing and Examination Fee (\$2,150) made payeble to | O. "Transver of the Live | and Class | ary Protection Office | <u> </u> | - |
| 15. COES THE APPLICANTIS) SPECIFY THAT SEED OF THIS VARIETY BE Pronuction ACL) | | | | | |
| Protection Act.) YES (# "YES." answer dame 16 and 17 | 7 | | A CLASS OF CENTERED SEED? (See | MC/IO | n 83(a) of the Plant Variety |
| 18 DOES THE APPLICANT(S) SPECIFY THAT THIS VARIETY BE LIMITED | | | ship to dest 18 below) | | |
| | 117. 5 7 | 43 - 1011 | EM 14, WHICH CLASSES OF PRODUC | TON B | EYONO BREEDER SEED? |
| ∐ v€\$ | | rouse | ATRON REGISTE | ≥ | CERTIFIED |
| 18 DIG THE APPLICANT(S) PREVIOUSLY PILE FOR PROTECTION OF THE | 1 | | | | CEMINED |
| The second of the second of the second of the | VARIETY IN THE U.S.? | | | | |
| YES IN 'YES," Invough Plans Variety Protection Act | Person Act. Gi | | , | | |
| ⊠ • 0 | | • | • | | |
| | | | | | |
| 19 HAS THE VARIETY BEEN RELEASED, USED, OFFERED FOR SALE, OF | R MARKETED IN THE U.S. | OR OTHE | IR COUNTRIES? | | |
| TES (If "YES," give names of countries and detent | | | | | |
| ☑ ••• | | | | | |
| | | | | | |
| to. The applicantial declare(s) that a viable sample of basis request in accordance with such regulations as may be se | seeds of this various | will be | Invaighed with the access of | | **** |
| | | | | | |
| The undersigned applicant(s) is (are) the owners of the | | sed pave | I plant veriety and halfares. | | the mains of |
| | | | | ant V | riety Protection Acr |
| Applicant(s) is (are) informed that false representation b | ervin can jeopardiza j | protectio | o and result in penalties | | |
| IGNATURE OF APPLICANT (Owners) | CAPACITY | | • | | |
| PIONEER HI-BRED INTERNATIONAL INC. | | J CE | | OAI | ₹ |

14A. Exhibit A. Origin and Breeding History

Pedigree: PHW03/PHJ40)X72242331

Pioneer line PHAAO, Zea mays L., a yellow corn inbred, was developed by Pioneer Hi-Bred International, Inc. from the single cross PHW03 x PHJ4O using the pedigree method of breeding. The progenitors of PHAAO are proprietary inbred lines of Pioneer Hi-Bred International, Inc. Selfing and selection were practiced within the above F1 cross for 6 generations in the development of PHAAO at Grand Forks, ND. During line development, crosses were made to inbred testers for the purpose of estimating the line's combining ability. Yield trials were grown at Grand Forks, ND, as well as other other Pioneer research stations. After initial testing, additional hybrid combinations have been evaluated and subsequent generations of the line have been grown and hand-pollinated with observations made for uniformity.

PHAAO has shown uniformity and stability for all traits as described in Exhibit C - "Objective Description of Variety". It has been self-pollinated and ear-rowed 3 generations with careful attention paid to uniformity of plant type to assure genetic homozygousity and phenotypic stability. The line has been increased both by hand and in isolated fields with continued observations for uniformity.

No variant traits have been observed or are expected in ${\tt PHAA0}$.

The criteria used in the selection of PHAAO were yield, both per se and in hybrid combinations; kernel size, especially important in production; ability to germinate in adverse conditions; number of tillers, especially important in production because having numerous tillers increases hybrid production costs spent on detasseling; disease and insect resistance; pollen yield; tassel size; pollen shed duration.

in the Carte

The same that the same of the same of

DEVELOPMENTAL HISTORY FOR PAAO

| SEASON/YEAR | INBREEDING LEVEL |
|-------------|------------------|
| Summer 1986 | F0 |
| Winter 1987 | F1 |
| Summer 1987 | F2 |
| Winter 1988 | F3 |
| Summer 1988 | F4 |
| Summer 1989 | F 5 |
| Summer 1990 | F6 |
| Winter 1991 | F7 * |
| Summer 1991 | F8 |
| Winter 1992 | F9 |
| Summer 1992 | F10* |

ન ન ત્યારે એ ત્રેના માટે જે ત્યારે મુખ્ય મામના મામના માટે કરો છે. આ માટે કરો છે. આ માટે કરો છે. આ પ્રોથમિક પ્રો જ ના ઉપયોગ્ય જોઈ પ્રાથમિક શાળા માને સામે સ્થાપના માટે આ પ્રાથમિક માને માટે માટે માટે કરો છે. જો માટે પ્રોથમિક

^{*}PHAAO was selfed and selected through F7 generation.

^{**}PHAA0 was selfed and ear-rowed from F8 through F10 generations.

148. Exhibit B. Novelty Statement

PHAAO is similar to the Pioneer Hi-Bred International, Inc. proprietary inbred line PHJ40 (PVP Certificate No. 8600133). PHAAO has a slight tendency to develop two ears whereas PHJ40 develops only one ear per stalk. PHAAO has few marginal waves and longitudinal creases compared to PHJ40 which has no marginal waves or longitudinal creases. PHAAO has a tassel branch angle from the central spike of greater than 45 degrees whereas PHJ40 has a tassel branch angle from the central spike of less than 30 degrees. PHAAO has light green fresh husk color whereas PHJ40 has dark green fresh husk color.

PHAAO has higher yield and grain harvest moisture but lower test weight than PHJ4O. PHAAO has better seedling vigor and higher early stand count than PHJ4O. PHAAO has significantly better brittle stalk resistance than PHJ4O.

EXHIBIT NO. C

VARIETY DESCRIPTION INFORMATION INBRED = PHAA0

Region Best Adapted: Most Regions Type: Dent

A. Maturity: Average across maturity zones. Zone: 0

Heat Unit Shed: 1210 Heat Unit Silk: 1220

No. Reps:

[Max.Temp. (<_86°F.) + Min. Temp (>_50°F.)]* HEAT UNITS = -----

- If maximum is greater than 86 degrees fahrenheit, then 86 is used and if minimum is less than 50, then 50 is used. Heat units accumulated daily and can not be less than 0.
- B. Plant Characteristics:

Plant height (to tassel tip): 196 cm Length of top ear internode: 12 cm Number of ears per stalk: Slight two ear tendency. Ear height (to base of top ear): 65 cm
Number of tillers: None

Cytoplasm type: Normal

C. Leaf:

. .

Color: (B14) Dark Green Angle from Stalk: 30 - 60 degrees Marginal Waves: (WF9) Few Number of Leaves (mature plants): 17 Sheath Pubescence: (W22) Light Longitudinal Creases: (OH56A) Few Length (Ear node leaf): 69 cm Width (widest point, ear node leaf): 9 cm

· 大大 、 一次 6x 4xx -

D. Tassel: Number lateral branches: 3 Branch Angle from central spike: > 45 degrees Pollen Shed: light based on Pollen Yield Test (69% of experiment means) Peduncle Length (top leaf to basal branches): 18 cm Anther Color: Yellow Glume Color: Green E. Ear (Husked Ear Data Except When Stated Otherwise): Length: 15 cm Weight: 132 gm Mid-point Diameter: 24 mm Silk Color: Yellow Husk Extension (Harvest stage): Medium (barely covering ear) Husk Leaf: Short (< 8 cm)</pre> Taper of Ear: Average Position of Shank (dry husks): Upright Kernel Rows: Straight Distinct Number = 14 Husk Color (fresh): Light Green Husk Color (dry): Buff Shank Length: 16 cm Shank (No. of internodes): 8 F. Kernel (Dried): Size (from ear mid-point) Length: 12 mm Width: 8 mm Thick: 5 mm Shape Grade (% rounds): 20-40% (29% medium round based on Parent Test Data) Pericarp Color: Colorless Aleurone Color: Homozygous Yellow Endosperm Color: Yellow Endosperm Type: Normal Starch Gm Wt/100 Seeds (unsized): 30 gm G. Cob:

Diameter at mid-point: 24 mm

Strength: Strong Color: Red

H. Diseases:

Common Rust (<u>P. sorghi</u>): Intermediate
Stewart's Wilt (<u>E. stewartii</u>): Resistant
Head Smut (<u>S. reiliana</u>): Higly Resistant
Fusarium Ear Mold (<u>F. moniliforme</u>): Higly Resistant
Gibberella Ear Rot (<u>G. zeae</u>): Susceptible

I. Insects:

Arteria.

European Corn Borer-1 Leaf Damage (Pre-flowering): Intermediate

The above descriptions are based on a scale of 1-9, 1 being highly susceptible, 9 being highly resistant.

S (Susceptible): Would generally represent a score of 1-3.
I (Intermediate): Would generally represent a score of 4-5.
R (Resistant): Would generally represent a score of 6-7.
H (Highly Resistant): Would generally represent a score of 8-9. Highly resistant does not imply the inbred is immune.

J. Variety Most Closely Resembling:

Character Inbred
Maturity PHJ40
Usage PHJ40

PHJ40 (PVP Certificate No. 8600133) is a Pioneer Hi-Bred International, Inc. proprietary inbred.

Data for Items B, C, D, E, F, and G is based primarily on a maximum of two reps from Johnston, Iowa grown in 1992, plus description information from the maintaining station.

CLARIFICATION OF DATA IN EXHIBITS C AND D

Please note the data presented in Exhibit C, "Objective Description of Variety," is data collected primarily at Johnston, Iowa plus description information from the maintaining station. The data in Exhibit D, "Additional Description of Variety," is data from comparisons of inbreds or hybrids grown in the same tests in the adapted growing area of PHAAO.

EXHIBIT D. ADDITIONAL DESCRIPTION OF PHAAD. INBRED PER SE YIELD COMPARISON OF PHAAD AND PHJ40 EVALUATED OVER THREE YEARS.

| VARIETY 12 - PHAAO VARIETY 12 - PHAAO • = 108 SIG + = 58 SIG 1 = 18 SIG | BAR SDG EST DRP GDU GRN STA STK RT BRT PLT VGR CNT EAR SHD SLK APP GRN LDG LDG STK ABS ABS ABS ABS ABS ABS ABS ABS ABS ABS | 95.7 5.8 47.7 99.8 1181 1183 6.7 6.5 94.1 98.1 94.3 5.3 45.2 99.8 1175 1188 5.8 5.5 94.6 98.3 19 4 23 7 20 16 5 1 7 20 16 2 1 2 2 20 10 4 21 5 34 20 32 12 2 2 20 10 4 2459 731 0431+ 903 362 088***.101 869 714 | 98.5 6.4 47.1 99.7 1177 1196 5.7 4.4 99.2 97.4 1 98.1 5.5 45.5 99.8 1163 1187 5.7 4.0 99.3 96.4 8 12 44 6 36 35 7 7 7 9 2 19 29 104 12 49 40 10 15 22 4 .769 .005# .023+ .363 .040+ .048+ .000# .209 .794 .500 | 94.8 5.9 42.1 99.7 1190 1208 6.2 4.2 97.5 100.0 94.3 5.6 42.6 99.7 1197 1210 6.2 4.2 96.2 98.9 28 12 7 7 25 23 5 7 14 2 2 2 7 14 19 10 36 | 56.4 95.6 6.1 45.4 99.7 1182 1197 6.2 4.4 97.2 98.4 98.4 1 99.5 1 1 94.9 5.5 44.4 99.8 1176 1195 5.9 4.2 96.8 97.9 95.3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 |
|--|--|--|--|---|---|
| | SDG VGR ABS | 5.3 5.3 4 731 | 6.4 5.5 12 29 .005 | 5.9 5.6 12 27 20 | 6.1 2.5 2.6 61 61 0.6 |
| | TST WT ABS | 58.7 59.0 10 26 .554 | 55.2 58.2 12 51 51 | 55.9 57.5 14 53 | |
| | BU ACR FMN | 117 93 10 26 .0000 | 110 99 12 54 .054 | 114 95 13 54 54 | 76.3 113 1 65.0 96 1 35 35 15 134 134 11.2 18 |
| , , , , , , , , , , , , , , , , , , , | VEAR | | 92 1 2 2 2 1.0CS REPS PROB | 93 1 2 2 LOCS REPS PROB | TOTAL SUM 1 2 1 10CS REPS DIFF PHOB |

9

DEFINITIONS

In the description and examples, a number of terms are used herein. In order to provide a clear and consistent understanding of the specification and claims, including the scope to be given such terms, the following definitions are provided:

BAR PLT = BARREN PLANTS. This is the percent of plants per plot that were not barren (lack ears).

BRT STK = BRITTLE STALKS. This is a measure of the stalk breakage near the time of pollination, and is an indication of whether a hybrid or inbred would snap or break near the time of flowering under severe winds. Data are presented as percentage of plants that did not snap.

BU ACR = YIELD (BUSHELS/ACRE). Actual yield of the grain at harvest adjusted to 15.5% moisture. ABS is in absolute terms and % MN is percent of the mean for the experiments in which the hybrid or inbred was grown.

 \underline{DRP} \underline{EAR} = $\underline{DROPPED}$ \underline{EARS} . This is a measure of the number of dropped ears per plot and represents the percentage of plants that did not drop ears prior to harvest.

EAR HT = EAR HEIGHT. The ear height is a measure from the ground to the top developed ear node attachment and is measured in centimeters.

EST CNT = EARLY STAND COUNT. This is a measure of the stand establishment in the spring and represents the number of plants that emerge on a per plot basis for the hybrid or inbred.

GDU SHD = GDU TO SHED. The number of growing degree units (GDUs) or heat units required for an inbred line or hybrid to have approximately 50 percent of the plants shedding pollen and is measured from the time of planting. Growing degree units are calculated by the Barger Method, where the heat units for a 24-hour period are:

The highest maximum temperature used is $86^{\circ}F$ and the lowest minimum temperature used is $50^{\circ}F$. For each inbred or hybrid it takes a certain number of GDUs to reach various stages of plant development.

GDU SLK = GDU TO SILK. The number of growing degree units required for an inbred line or hybrid to have approximately 50 percent of the plants with silk emergence from time of planting. Growing degree units are calculated by the Barger Method as given, in GDU SHD definition.

GRN APP. = GRAIN APPEARANCE. This is a 1 to 9 rating for the general quality of the shelled grain as it is harvested based on such factors as the color of the harvested grain, any mold on the grain, and any cracked grain. High scores indicate good grain quality and low scores indicate poor grain quality.

 $\underline{\text{MST}} = \text{HARVEST MOISTURE}$. The moisture is the actual percentage moisture of the grain at harvest.

PLT HT = PLANT HEIGHT. This is a measure of the height of the plant from the ground to the tip of the tassel in centimeters.

RT LDG = ROOT LODGING. Root lodging is the percentage of plants that do not root lodge; plants that lean from the vertical axis at an approximately 30° angle or greater would be counted as root lodged.

SDG VGR = SEEDLING VIGOR. This is the visual rating (1 to 9) of the amount of vegetative growth after emergence at the seedling stage (approximately five leaves). A higher score indicates better vigor and a low score indicates poorer vigor.

STA GRN = STAY GREEN. Stay green is the measure of plant health near the time of black layer formation (physiological maturity). A high score indicates better-late-season plant health.

STK LDG = STALK LODGING. This is the percentage of plants that did not stalk lodge (stalk breakage) as measured by either natural lodging or pushing the stalks and determining the percentage of plants that break below the ear.

 $\frac{\text{TST WT} = \text{TEST WEIGHT UNADJUSTED}}{\text{grain in pounds for a given volume (bushel)}}$.

14E. EXHIBIT E. Statement of the Basis of Applicant's Ownership

Pioneer Hi-Bred International, Inc., Des Moines, Iowa, is the employer of the plant breeders involved in the development and evaluation of PHAAO. Pioneer Hi-Bred International, Inc. has the sole rights and ownership of PHAAO.